





- MEMÓRIA DE VÍDEO
- GERADOR DE CARACTERES
E DE SINCRONISMO
- CIRCUITO MODULADOR DE VÍDEO/
INTERFACE RGB
- AJUSTE DE DADOS (RX)
- BEEP
- AMPLIF. CAG
- ACONDICIONAMENTO DOS PEÚS
- FILTROS { TRANSM.
RECEP.
- DRIVER DE LINHA
- LUCY



WR		15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	PB1	MREQ	
		0	0			X	X	X	X	X	X	X	X	X	X	X	X	X	Ø	EPROM
		-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			STATUS RØ
		-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			STATUS R1
		-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			MODE R2
		-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			COMMAND R3
Ø	1	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			LIVE REC. HOLD. REG.
1	Ø	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			LIVE TRUNK HOLD. REG. 1
Ø	1	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			TAPE REC. HIR.
1	Ø	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			TAPE TRUNK HOLD. REG.
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			PORTA A - R
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			PORTA B - R
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			DIM CONTR. AND TIM. R
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			BUS A R10 (A/B)
A	A	-	-	-	-	-	-	-	-	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø			BUS B R11 (A/B)

5155

A. ATRIBUTOS DE TELA:

POSICAO → 1001 → 26ª linha 1º CH.

b2	b1	atributo
0	0	br only
0	1	boxing
1	0	text only
1	1	"superimpose"

b4	b3	atributo
0	0	no text
0	1	header only
1	0	rest of text displayed
1	1	header and text displayed

b5	atributo
0	concealed
1	revealed